

Name	Analog	DN, mm	PN, Mpa	t° C	Media	Drive	L, mm	H, mm	Weight w/o drive, kg
SV2.5/1.2-6-10	1213-6-0	6	10	450	water-steam	-	30	91	0,4
SV3.5/1.1-10-13,7	1093-10-0	10	13,7	560	steam	-	58	88	0,95
SV1.5/1.2-10-10	1456-10-0	10	10	450	water-steam	-	110	222	1,3
SV1.5/1.1-10-20	1512-10-0	10	20	660	water-steam	-	160	283	0,3
SV1.5/1.2-10-37,3	588-10-0	10	37,3	280	water	-	110	222	3,06
SV1.5/1.1-10-25	589-10-0	10	25	545	steam	-	110	222	3,06
SV1.5/1.2-10-10-01	1c-11-1	10	10	450	water-steam	-	140	157	1,1
SV1.5/1.2-10-10-02	1c-11-1M	10	10	450	water-steam	-	110	222	3,1
SV1.5/1/22.2-10-10	1c-11-1MЭД	10	10	450	water-steam	AUMA SA07.2-F07-C28	110	503	4,1
SV1.5/1/19.2-10-10	1c-11-1MЭМ	10	10	450	water-steam	H-M-03Ч Y2	110	488	3,7
SV1.5/1/24.2-10-10	1c-11-1MЭС	10	10	450	water-steam	Sipos 2SA5010-3CE00-3AA4	110	634	4,1
SV1.5/1.2-10-37,3-01	1c-12-1	10	37,3	280	water	-	110	222	3,1
SV1.5/1/22.2-10-37,3	1c-12-1ЭД	10	37,3	280	water	AUMA SA07.2-F07-C28	110	503	4,1
SV1.5/1/19.2-10-37,3	1c-12-1ЭМ	10	37,3	280	water	H-M-03Ч Y2	110	488	3,7
SV1.5/1/24.2-10-37,3	1c-12-1ЭС	10	37,3	280	water	Sipos 2SA5010-3CE00-3AA4	110	634	4,1
SV1.5/1.1-10-25-01	1c-13-1	10	25	545	steam	-	110	222	3,1
SV1.5/1/22.1-10-25	1c-13-1ЭД	10	25	545	steam	AUMA SA07.2-F07-C28	110	503	4,1
SV1.5/1/19.1-10-25	1c-13-1ЭМ	10	25	545	steam	H-M-03Ч Y2	110	488	3,7
SV1.5/1/24.1-10-25	1c-13-1ЭС	10	25	545	steam	Sipos 2SA5010-3CE00-3AA4	110	634	4,1
SV1.5/1.2-10-25	1c-25-1	10	25	450	water-steam	-	110	222	3,7
SV1.5/1/22.2-10-25	1c-25-1ЭД	10	25	450	water-steam	AUMA SA07.2-F07-C28	110	503	4,1
SV1.5/1/19.2-10-25	1c-25-1ЭМ	10	25	450	water-steam	H-M-03Ч Y2	110	488	3,7
SV1.5/1/24.2-10-25	1c-25-1ЭС	10	25	450	water-steam	Sipos 2SA5010-3CE00-3AA4	110	634	4,1
SV1.5/1.1-10-37,3	598-10-0	10	37,3	545	steam	-	110	205	3,06
SV1.5/1.1-15-20	1512-15-0	15	20	660	water-steam	-	160	283	2,7
SV1.5/1.2-15-10	1c-11-2	15	10	450	water-steam	-	160	283	7,4
SV1.5/1/22.2-15-10	1c-11-2ЭД	15	10	450	water-steam	AUMA SA 10.2-F10-C28	160	562	8,2
SV1.5/1/19.2-15-10	1c-11-2ЭМ	15	10	450	water-steam	H-A2-08Ч Y2	160	762	7,4
SV1.5/1/23.2-15-10	1c-11-2ЭН	15	10	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,4
SV1.5/1/24.2-15-10	1c-11-2ЭС	15	10	450	water-steam	Sipos 2SA5031-3CE00-3AA4	160	806	8,2
SV1.5/1/25.2-15-10	1c-11-2ЭЧ	15	10	450	water-steam	ПЭМ-A12M Y2	160	789	6,8
SV1.5/1.2-15-37,3	1c-12-2	15	37,3	280	water	-	160	283	7,4
SV1.5/1/22.2-15-37,3	1c-12-2ЭД	15	37,3	280	water	AUMA SA 10.2-F10-C28	160	562	8,2
SV1.5/1/19.2-15-37,3	1c-12-2ЭМ	15	37,3	280	water	H-A2-08Ч Y2	160	762	7,4
SV1.5/1/23.2-15-37,3	1c-12-2ЭН	15	37,3	280	water	ЭП-3-100-24-A1-06-B-Y1	160	523	7,4
SV1.5/1/24.2-15-37,3	1c-12-2ЭС	15	37,3	280	water	Sipos 2SA5031-3CE00-3AA4	160	806	8,2
SV1.5/1/25.2-15-37,3	1c-12-2ЭЧ	15	37,3	280	water	ПЭМ-A12M Y2	160	789	6,8
SV1.5/1.1-15-37,3	1c-13-2	15	25	545	steam	-	160	283	7,4
SV1.5/1/22.1-15-25	1c-13-2ЭД	15	25	545	steam	AUMA SA 10.2-F10-C28	160	562	8,2
SV1.5/1/19.1-15-25	1c-13-2ЭМ	15	25	545	steam	H-A2-08Ч Y2	160	762	7,4
SV1.5/1/23.1-15-25	1c-13-2ЭН	15	25	545	steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,4
SV1.5/1/24.1-15-25	1c-13-2ЭС	15	25	545	steam	Sipos 2SA5031-3CE00-3AA4	160	806	8,2
SV1.5/1/25.1-15-25	1c-13-2ЭЧ	15	25	545	steam	ПЭМ-A12M Y2	160	789	6,8
SV1.5/1.2-15-25	1c-25-2	15	25	450	water-steam	-	160	283	7,4
SV1.5/1/22.2-15-25	1c-25-2ЭД	15	25	450	water-steam	AUMA SA 10.2-F10-C28	160	562	8,2
SV1.5/1/19.2-15-25	1c-25-2ЭМ	15	25	450	water-steam	H-A2-08Ч Y2	160	762	7,4
SV1.5/1/23.2-15-25	1c-25-2ЭН	15	25	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,4
SV1.5/1/24-15-25	1c-25-2ЭС	15	25	450	water-steam	Sipos 2SA5031-3CE00-3AA4	160	806	8,2
SV1.5/1/25.2-15-25	1c-25-2ЭЧ	15	25	450	water-steam	ПЭМ-A12M Y2	160	789	6,8
SV1.5/1.2-20-25	1456-20-0	20	25	450	water-steam	-	160	283	2,1
SV1.5/1.1-20-20	1512-20-0	20	20	660	water-steam	-	160	283	2,5
SV1.5/1.2-20-37,3	998-20-0	20	37,3	280	water	-	160	283	5,4
SV1.5/37.2-20-37,3	998-20-Г	20	37,3	280	water	-	160	467	6,93
SV1.5/1/18.2-20-37,3	998-20-ЭА	20	37,3	280	water	821-Э-0a	160	522	7
SV1.5/1/22.2-20-37,3	998-20-ЭД	20	37,3	280	water	AUMA SA 10.2-F10-C28	160	562	8
SV1.5/1/19.2-20-37,3	998-20-ЭМ	20	37,3	280	water	H-A2-08Ч Y2	160	762	7,2
SV1.5/1/23.2-20-37,3	998-20-ЭН	20	37,3	280	water	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5/1/24.2-20-37,3	998-20-ЭС	20	37,3	280	water	Sipos 2SA5031-3CE00-3AA4	160	746	8
SV1.5/1/25.2-20-37,3	998-20-ЭЧ	20	37,3	280	water	ПЭМ-A12M Y2	160	789	6,6
SV1.5/1.1-20-25	999-20-0	20	25	545	steam	-	160	283	5,4
SV1.5/37.1-20-25	999-20-Г	20	25	545	steam	-	160	467	6,93
SV1.5/1/18.1-20-25	999-20-ЭА	20	25	545	steam	821-Э-0a	160	522	7
SV1.5/1/22.1-20-25	999-20-ЭД	20	25	545	steam	AUMA SA 10.2-F10-C28	160	562	8
SV1.5/1/19.1-20-25	999-20-ЭМ	20	25	545	steam	H-A2-08Ч Y2	160	762	7,2
SV1.5/1/23.1-20-25	999-20-ЭН	20	25	545	steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5/1/24.1-20-25	999-20-ЭС	20	25	545	steam	Sipos 2SA5031-3CE00-3AA4	160	746	8

SV1.5.1/25.1-20-25	999-20-ЭЧ	20	25	545	steam	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.2-20-10	1c-11-3	20	10	450	water-steam	-	160	283	7,2
SV1.5.1/22.2-20-10	1c-11-3ЭД	20	10	450	water-steam	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.2-20-10	1c-11-3ЭМ	20	10	450	water-steam	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.2-20-10	1c-11-3ЭН	20	10	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.2-20-10	1c-11-3ЭС	20	10	450	water-steam	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.2-20-10	1c-11-3ЭЧ	20	10	450	water-steam	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.2-20-37,3-01	1c-12-3	20	37,3	280	water	-	160	283	7,2
SV1.5.1/22.2-20-37,3-01	1c-12-3ЭД	20	37,3	280	water	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.2-20-37,3-01	1c-12-3ЭМ	20	37,3	280	water	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.2-20-37,3-01	1c-12-3ЭН	20	37,3	280	water	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.2-20-37,3-01	1c-12-3ЭС	20	37,3	280	water	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.2-20-37,3-01	1c-12-3ЭЧ	20	37,3	280	water	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.1-20-25-01	1c-13-3	20	25	545	steam	-	160	283	7,2
SV1.5.1/22.1-20-25-01	1c-13-3ЭД	20	25	545	steam	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.1-20-25-01	1c-13-3ЭМ	20	25	545	steam	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.1-20-25-01	1c-13-3ЭН	20	25	545	steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.1-20-25-01	1c-13-3ЭС	20	25	545	steam	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.1-20-25-01	1c-13-3ЭЧ	20	25	545	steam	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.2-20-25-01	1c-25-3	20	25	450	water-steam	-	160	283	7,2
SV1.5.1/22.2-20-25	1c-25-3ЭД	20	25	450	water-steam	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.2-20-25	1c-25-3ЭМ	20	25	450	water-steam	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.2-20-25	1c-25-3ЭН	20	25	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.2-20-25	1c-25-3ЭС	20	25	450	water-steam	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.2-20-25	1c-25-3ЭЧ	20	25	450	water-steam	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.2-25-10	1456-25-M	25	10	450	water-steam	-	160	283	2,3
SV1.5.5/1.1-25-20	1512-25-0	25	20	660	water-steam	-	160	283	3,5
SV1.5.5/1.2-25-10-01	1c-11-31	25	10	450	water-steam	-	160	283	7,2
SV1.5.1/22.2-25-10	1c-11-31ЭД	25	10	450	water-steam	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.2-25-10	1c-11-31ЭМ	25	10	450	water-steam	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.2-25-10	1c-11-31ЭН	25	10	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.2-25-10	1c-11-31ЭС	25	10	450	water-steam	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.2-25-10	1c-11-31ЭЧ	25	10	450	water-steam	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.2-25-23,5	1c-12-25	25	23,5	250	water	-	160	283	7,2
SV1.5.1/22.2-25-23,5	1c-12-25ЭД	25	23,5	250	water	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.2-25-23,5	1c-12-25ЭМ	25	23,5	250	water	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.2-25-23,5	1c-12-25ЭН	25	23,5	250	water	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.2-25-23,5	1c-12-25ЭС	25	23,5	250	water	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.2-25-23,5	1c-12-25ЭЧ	25	23,5	250	water	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.1-25-9,8	1c-13-25	25	9,8	540	steam	-	160	283	7,2
SV1.5.1/22.1-25-9,8	1c-13-25ЭД	25	9,8	540	steam	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.1-25-9,8	1c-13-25ЭМ	25	9,8	540	steam	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.1-25-9,8	1c-13-25ЭН	25	9,8	540	steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.1-25-9,8	1c-13-25ЭС	25	9,8	540	steam	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.1-25-9,8	1c-13-25ЭЧ	25	9,8	540	steam	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.2-25-25	1c-25-25	25	25	450	water-steam	-	160	283	7,2
SV1.5.1/22.2-25-25	1c-25-25ЭД	25	25	450	water-steam	AUMA SA 10.2-F10-C28	160	562	8
SV1.5.1/19.2-25-25	1c-25-25ЭМ	25	25	450	water-steam	H-A2-08Ч Y2	160	762	7,2
SV1.5.1/23.2-25-25	1c-25-25ЭН	25	25	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	160	523	7,2
SV1.5.1/24.2-25-25	1c-25-25ЭС	25	25	450	water-steam	Sipos 2SA5031-3CE00-3AA4	160	806	8
SV1.5.1/25.2-25-25	1c-25-25ЭЧ	25	25	450	water-steam	ПЭМ-A12M Y2	160	789	6,6
SV1.5.5/1.2-25-37,3	1c-12-31	25	37,3	280	water	-	220	526	40
SV1.5.1/22.2-25-37,3	1c-12-31ЭД	25	37,3	280	water	AUMA SA 14.6-F14-C38	220	827	41,3
SV1.5.1/19.2-25-37,3	1c-12-31ЭМ	25	37,3	280	water	H-Б1-07 Y2	220	944	40
SV1.5.1/23.2-25-37,3	1c-12-31ЭН	25	37,3	280	water	ЭП-3-300-25-Б1-О-A-Y1	220	801	40
SV1.5.1/24.2-25-37,3	1c-12-31ЭС	25	37,3	280	water	Sipos 2SA5053-3CE00-3AA4	220	1298	41,3
SV1.5.1/25.2-25-37,3	1c-12-31ЭЧ	25	37,3	280	water	ПЭМ-Б1М Y2	220	1229	40
SV1.5.5/1.1-25-25	1c-13-31	25	25	545	steam	-	220	526	40
SV1.5.1/22.1-25-25	1c-13-31ЭД	25	25	545	steam	AUMA SA 14.6-F14-C38	220	827	41,3
SV1.5.1/19.1-25-25	1c-13-31ЭМ	25	25	545	steam	H-Б1-07 Y2	220	944	40
SV1.5.1/23.1-25-25	1c-13-31ЭН	25	25	545	steam	ЭП-3-300-25-Б1-О-A-Y1	220	801	40
SV1.5.1/24.1-25-25	1c-13-31ЭС	25	25	545	steam	Sipos 2SA5053-3CE00-3AA4	220	1298	41,3
SV1.5.1/25.1-25-25	1c-13-31ЭЧ	25	25	545	steam	ПЭМ-Б1М Y2	220	1229	40
SV1.5.5/1.1-32-25	1055-32-0	32	25	545	steam	-	220	526	39,3
SV1.5.3/4.1-32-25	1055-32-ЦЗ	32	25	545	steam	Gear 2:1	220	760	33,4
SV1.5.1/18.1-32-25	1055-32-ЭА	32	25	545	steam	792-Э-0а-01	220	720	32,2
SV1.5.1/22.1-32-25	1055-32-ЭД	32	25	545	steam	AUMA SA 14.6-F14-C38	220	827	41
SV1.5.1/19.1-32-25	1055-32-ЭМ	32	25	545	steam	H-Б1-07 Y2	220	944	39,7
SV1.5.1/23.1-32-25	1055-32-ЭН	32	25	545	steam	ЭП-3-300-25-Б1-О-A-Y1	220	801	39,7
SV1.5.1/24.1-32-25	1055-32-ЭС	32	25	545	steam	Sipos 2SA5053-3CE00-3AA4	220	1298	41
SV1.5.1/25.1-32-25	1055-32-ЭЧ	32	25	545	steam	ПЭМ-Б1М Y2	220	1229	39,7
SV1.5.5/1.2-32-10	1456-32-0	32	10	450	water-steam	-	230	294	2,3

SV1.5.5/1.2-32-10-01	1c-12-32	32	10	450	water-steam	-	230	294	8
SV1.5.1/22.2-32-10	1c-12-32ЭД	32	10	450	water-steam	AUMA SA 10.2-F10-C28	230	580	8,7
SV1.5.1/19.2-32-10	1c-12-32ЭМ	32	10	450	water-steam	H-A2-08Ч Y2	230	780	7,9
SV1.5.1/23.2-32-10	1c-12-32ЭН	32	10	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	230	541	7,9
SV1.5.1/24.2-32-10	1c-12-32ЭС	32	10	450	water-steam	Sipos 2SA5031-3CE00-3AA4	230	580	8,7
SV1.5.1/25.2-32-10	1c-12-32ЭЧ	32	10	450	water-steam	ПЭМ-A12M Y2	230	294	7,9
SV1.5.5/1.1-32-25-01	1c-13-32	32	25	545	steam	-	220	526	40
SV1.5.1/22.1-32-25-01	1c-13-32ЭД	32	25	545	steam	AUMA SA 14.6-F14-C38	220	827	43,2
SV1.5.1/19.1-32-25-01	1c-13-32ЭМ	32	25	545	steam	H-B1-07 Y2	220	944	39,7
SV1.5.1/23.1-32-25-01	1c-13-32ЭН	32	25	545	steam	ЭП-3-300-25-B1-O-A-Y1	220	801	39,7
SV1.5.1/24.1-32-25-01	1c-13-32ЭС	32	25	545	steam	Sipos 2SA5053-3CE00-3AA4	250	1308	43,2
SV1.5.1/25.1-32-25-01	1c-13-32ЭЧ	32	25	545	steam	ПЭМ-B1M Y2	220	1229	39,7
SV1.5.5/1.2-32-25	1c-25-32	32	25	450	water-steam	-	220	526	40
SV1.5.1/22.2-32-25	1c-25-32ЭД	32	25	450	water-steam	AUMA SA 14.6-F14-C38	220	827	41
SV1.5.1/19.2-32-25	1c-25-32ЭМ	32	25	450	water-steam	H-B1-07 Y2	220	944	39,7
SV1.5.1/23.2-32-25	1c-25-32ЭН	32	25	450	water-steam	ЭП-3-300-25-B1-O-A-Y1	220	801	39,7
SV1.5.1/24.2-32-25	1c-25-32ЭС	32	25	450	water-steam	Sipos 2SA5053-3CE00-3AA4	220	1298	41
SV1.5.1/25.2-32-25	1c-25-32ЭЧ	32	25	450	water-steam	ПЭМ-B1M Y2	220	1229	39,7
SV1.5.5/1.2-40-37,3-01	1054-40-0	40	37,3	280	water	-	220	526	38,8
SV1.5.3/4.2-40-37,3	1054-40-ЦЗ	40	37,3	280	water	Gear 2:1	220	760	33
SV1.5.1/18.2-40-37,3	1054-40-ЭА	40	37,3	280	water	792-Э-0а-01	220	720	31,6
SV1.5.1/22.2-40-37,3	1054-40-ЭД	40	37,3	280	water	AUMA SA 14.6-F14-C38	220	827	40,4
SV1.5.1/19.2-40-37,3	1054-40-ЭМ	40	37,3	280	water	H-B1-07 Y2	220	944	39,1
SV1.5.1/23.2-40-37,3	1054-40-ЭН	40	37,3	280	water	ЭП-3-300-25-B1-O-A-Y1	220	801	39,1
SV1.5.1/24.2-40-37,3	1054-40-ЭС	40	37,3	280	water	Sipos 2SA5053-3CE00-3AA4	220	1298	40,4
SV1.5.1/25.2-40-37,3	1054-40-ЭЧ	40	37,3	280	water	ПЭМ-B1M Y2	220	1229	39,1
SV1.5.5/1.2-40-10	1c-11-40	40	10	450	water-steam	-	240	309	10
SV1.5.1/22.2-40-10	1c-11-40ЭД	40	10	450	water-steam	AUMA SA 10.2-F10-C28	240	587	11,6
SV1.5.1/19.2-40-10	1c-11-40ЭМ	40	10	450	water-steam	H-A2-08Ч Y2	240	787	10,3
SV1.5.1/23.2-40-10	1c-11-40ЭН	40	10	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	240	548	10,3
SV1.5.1/24.2-40-10	1c-11-40ЭС	40	10	450	water-steam	Sipos 2SA5031-3CE00-3AA4	240	824	11,6
SV1.5.1/25.2-40-10	1c-11-40ЭЧ	40	10	450	water-steam	ПЭМ-A12M Y2	240	814	10,3
SV1.5.5/1.2-40-37,3	1c-12-40	40	37,3	280	water	-	220	526	40
SV1.5.1/22.2-40-37,3-01	1c-12-40ЭД	40	37,3	280	water	AUMA SA 14.6-F14-C38	220	827	40,4
SV1.5.1/19.2-40-37,3-01	1c-12-40ЭМ	40	37,3	280	water	H-B1-07 Y2	220	944	39,1
SV1.5.1/23.2-40-37,3-01	1c-12-40ЭН	40	37,3	280	water	ЭП-3-300-25-B1-O-A-Y1	220	801	39,1
SV1.5.1/24.2-40-37,3-01	1c-12-40ЭС	40	37,3	280	water	Sipos 2SA5053-3CE00-3AA4	220	1308	40,4
SV1.5.1/25.2-40-37,3-01	1c-12-40ЭЧ	40	37,3	280	water	ПЭМ-B1M Y2	220	1229	39,1
SV1.5.5/1.1-40-13,7	1c-13-40	40	13,7	560	steam	-	220	526	40
SV1.5.1/22.1-40-13,7	1c-13-40ЭД	40	13,7	560	steam	AUMA SA 14.6-F14-C38	220	827	40,4
SV1.5.1/19.1-40-13,7	1c-13-40ЭМ	40	13,7	560	steam	H-B1-07 Y2	220	944	39,1
SV1.5.1/23.1-40-13,7	1c-13-40ЭН	40	13,7	560	steam	ЭП-3-300-25-B1-O-A-Y1	220	801	39,1
SV1.5.1/24.1-40-13,7	1c-13-40ЭС	40	13,7	560	steam	Sipos 2SA5053-3CE00-3AA4	220	1308	40,4
SV1.5.1/25.1-40-13,7	1c-13-40ЭЧ	40	13,7	560	steam	ПЭМ-B1M Y2	220	1229	39,1
SV1.5.5/1.2-40-25	1c-25-40	40	25	450	water-steam	-	220	526	40
SV1.5.1/22.2-40-25	1c-25-40ЭД	40	25	450	water-steam	AUMA SA 14.6-F14-C38	220	827	40,4
SV1.5.1/19.2-40-25	1c-25-40ЭМ	40	25	450	water-steam	H-B1-07 Y2	220	944	39,1
SV1.5.1/23.2-40-25	1c-25-40ЭН	40	25	450	water-steam	ЭП-3-300-25-B1-O-A-Y1	220	801	39,1
SV1.5.1/24.2-40-25	1c-25-40ЭС	40	25	450	water-steam	Sipos 2SA5053-3CE00-3AA4	220	1308	40,4
SV1.5.1/25.2-40-25	1c-25-40ЭЧ	40	25	450	water-steam	ПЭМ-B1M Y2	220	1229	39,1
SV1.5.5/1.1-50-13,7	1053-50-0	50	13,7	560	steam	-	250	536	41,6
SV1.5.3/4.1-50-13,7	1053-50-ЦЗ	50	13,7	560	steam	Gear 2:1	250	770	36,5
SV1.5.1/18.1-50-13,7	1053-50-ЭА	50	13,7	560	steam	792-Э-0а-01	250	730	35,2
SV1.5.1/22.1-50-13,7	1053-50-ЭД	50	13,7	560	steam	AUMA SA 14.6-F14-C38	250	837	43,2
SV1.5.1/19.1-50-13,7	1053-50-ЭМ	50	13,7	560	steam	H-B1-07 Y2	250	954	42,7
SV1.5.1/23.1-50-13,7	1053-50-ЭН	50	13,7	560	steam	ЭП-3-300-25-B1-O-A-Y1	250	811	42,7
SV1.5.1/24.1-50-13,7	1053-50-ЭС	50	13,7	560	steam	Sipos 2SA5053-3CE00-3AA4	250	1308	43,2
SV1.5.1/25.1-50-13,7	1053-50-ЭЧ	50	13,7	560	steam	ПЭМ-B1M Y2	250	1239	42,7
SV1.5.5/1.2-50-10	1456-50-0	50	10	450	water-steam	-	240	300	5,2
SV1.5.5/1.2-50-6,3	1c-11-5	50	6,3	425	water-steam	-	240	300	9,4
SV1.5.5/1.2-50-10-01	1c-11-5М	50	10	450	water-steam	-	240	300	9,6
SV1.5.1/22.2-50-10	1c-11-5МЭД	50	10	450	water-steam	AUMA SA 10.2-F10-C28	240	587	11,5
SV1.5.1/19.2-50-10	1c-11-5МЭМ	50	10	450	water-steam	H-A2-08Ч Y2	240	787	10
SV1.5.1/23.2-50-10	1c-11-5МЭН	50	10	450	water-steam	ЭП-3-100-24-A1-06-B-Y1	240	548	10
SV1.5.1/24.2-50-10	1c-11-5МЭС	50	10	450	water-steam	Sipos 2SA5053-3CE00-3AA4	240	1298	11,5
SV1.5.1/25.2-50-10	1c-11-5МЭЧ	50	10	450	water-steam	ПЭМ-A12M Y2	240	814	10
SV1.5.1/22.2-50-6,3	1c-11-5ЭД	50	6,3	425	water-steam	AUMA SA 10.2-F10-C28	240	587	11,5
SV1.5.1/19.2-50-6,3	1c-11-5ЭМ	50	6,3	425	water-steam	H-A2-08Ч Y2	240	787	10
SV1.5.1/23.2-50-6,3	1c-11-5ЭН	50	6,3	425	water-steam	ЭП-3-100-24-A1-06-B-Y1	240	548	10
SV1.5.1/24.2-50-6,3	1c-11-5ЭС	50	6,3	425	water-steam	Sipos 2SA5053-3CE00-3AA4	240	1298	11,5
SV1.5.1/25.2-50-6,3	1c-11-5ЭЧ	50	6,3	425	water-steam	ПЭМ-A12M Y2	240	814	10
SV1.5.5/1.2-50-25	1c-12-5	50	25	450	water-steam	-	250	534	38

SV1.5.1/22.2-50-25	1c-12-5ЭД	50	25	450	water-steam	AUMA SA 14.6-F14-C38	250	823	39,5
SV1.5.1/19.2-50-25	1c-12-5ЭМ	50	25	450	water-steam	Н-Б1-07 У2	250	944	38
SV1.5.1/23.2-50-25	1c-12-5ЭН	50	25	450	water-steam	ЭП-3-300-25-Б1-О-А-У1	250	801	38
SV1.5.1/24.2-50-25	1c-12-5ЭС	50	25	450	water-steam	Sipos 2SA5053-3CE00-3AA4	250	1308	39,5
SV1.5.1/25.2-50-25	1c-12-5ЭЧ	50	25	450	water-steam	ПЭМ-Б1М У2	250	1229	38
SV1.5.5/1.1-50-13,7-01	1c-13-5	50	13,7	560	steam	-	250	536	42
SV1.5.1/22.1-50-13,7-01	1c-13-5ЭД	50	13,7	560	steam	AUMA SA 14.6-F14-C38	250	837	43,2
SV1.5.1/19.1-50-13,7-01	1c-13-5ЭМ	50	13,7	560	steam	Н-Б1-07 У2	250	954	42,7
SV1.5.1/23.1-50-13,7-01	1c-13-5ЭН	50	13,7	560	steam	ЭП-3-300-25-Б1-О-А-У1	250	811	42,7
SV1.5.1/24.1-50-13,7-01	1c-13-5ЭС	50	13,7	560	steam	Sipos 2SA5053-3CE00-3AA4	250	1308	43,2
SV1.5.1/25.1-50-13,7-01	1c-13-5ЭЧ	50	13,7	560	steam	ПЭМ-Б1М У2	250	1239	42,7
SV1.5.5/1.2-65-23,5	1052-65-0	65	23,5	250	water	-	250	536	41,6
SV1.5.3/4.2-65-23,5	1052-65-Ц3	65	23,5	250	water	Gear 2:1	250	770	36,1
SV1.5.1/18.2-65-23,5	1052-65-ЭА	65	23,5	250	water	792-Э-0а-01	250	730	34,8
SV1.5.1/22.2-65-23,5	1052-65-ЭД	65	23,5	250	water	AUMA SA 14.6-F14-C38	250	837	42,8
SV1.5.1/19.2-65-23,5	1052-65-ЭМ	65	23,5	250	water	Н-Б1-07 У2	250	954	42,3
SV1.5.1/23.2-65-23,5	1052-65-ЭН	65	23,5	250	water	ЭП-3-300-25-Б1-О-А-У1	250	811	42,3
SV1.5.1/24.2-65-23,5	1052-65-ЭС	65	23,5	250	water	Sipos 2SA5053-3CE00-3AA4	250	1239	42,8
SV1.5.1/25.2-65-23,5	1052-65-ЭЧ	65	23,5	250	water	ПЭМ-Б1М У2	250	1239	42,3
SV1.5.5/1.1-65-9,8	1057-65-0	65	9,8	540	steam	-	250	536	41,6
SV1.5.3/4.1-65-9,8	1057-65-Ц3	65	9,8	540	steam	Gear 2:1	250	770	36,1
SV1.5.1/18.1-65-9,8	1057-65-ЭА	65	9,8	540	steam	792-Э-0а-01	250	730	34,8
SV1.5.1/22.1-65-9,8	1057-65-ЭД	65	9,8	540	steam	AUMA SA 14.6-F14-C38	250	837	42,8
SV1.5.1/19.1-65-9,8	1057-65-ЭМ	65	9,8	540	steam	Н-Б1-07 У2	250	954	42,3
SV1.5.1/23.1-65-9,8	1057-65-ЭН	65	9,8	540	steam	ЭП-3-300-25-Б1-О-А-У1	250	811	42,3
SV1.5.1/24.1-65-9,8	1057-65-ЭС	65	9,8	540	steam	Sipos 2SA5053-3CE00-3AA4	250	1239	42,8
SV1.5.1/25.1-65-9,8	1057-65-ЭЧ	65	9,8	540	steam	ПЭМ-Б1М У2	250	1239	42,3
SV1.5.5/1.2-65-10	1c-11-65	65	10	450	water-steam	-	250	536	42
SV1.5.1/22.2-65-10	1c-11-65ЭД	65	10	450	water-steam	AUMA SA 14.6-F14-C38	250	837	42,8
SV1.5.1/19.2-65-10	1c-11-65ЭМ	65	10	450	water-steam	Н-Б1-07 У2	250	954	42,3
SV1.5.1/23.2-65-10	1c-11-65ЭН	65	10	450	water-steam	ЭП-3-300-25-Б1-О-А-У1	250	811	42,3
SV1.5.1/24.2-65-10	1c-11-65ЭС	65	10	450	water-steam	Sipos 2SA5053-3CE00-3AA4	250	1239	42,8
SV1.5.1/25.2-65-10	1c-11-65ЭЧ	65	10	450	water-steam	ПЭМ-Б1М У2	250	1239	42,3
SV1.5.5/1.2-65-23,5-01	1c-12-65	65	23,5	250	water	-	250	536	42
SV1.5.1/22.2-65-23,5-01	1c-12-65ЭД	65	23,5	250	water	AUMA SA 14.6-F14-C38	250	837	42,8
SV1.5.1/19.2-65-23,5-01	1c-12-65ЭМ	65	23,5	250	water	Н-Б1-07 У2	250	954	42,3
SV1.5.1/23.2-65-23,5-01	1c-12-65ЭН	65	23,5	250	water	ЭП-3-300-25-Б1-О-А-У1	250	811	42,3
SV1.5.1/24.2-65-23,5-01	1c-12-65ЭС	65	23,5	250	water	Sipos 2SA5053-3CE00-3AA4	250	1239	42,8
SV1.5.1/25.2-65-23,5-01	1c-12-65ЭЧ	65	23,5	250	water	ПЭМ-Б1М У2	250	1239	42,3
SV1.5.5/1.1-65-9,8-01	1c-13-65	65	9,8	540	steam	-	250	536	42
SV1.5.1/22.1-65-9,8-01	1c-13-65ЭД	65	9,8	540	steam	AUMA SA 14.6-F14-C38	250	837	42,8
SV1.5.1/19.1-65-9,8-01	1c-13-65ЭМ	65	9,8	540	steam	Н-Б1-07 У2	250	954	42,3
SV1.5.1/23.1-65-9,8-01	1c-13-65ЭН	65	9,8	540	steam	ЭП-3-300-25-Б1-О-А-У1	250	811	42,3
SV1.5.1/24.1-65-9,8-01	1c-13-65ЭС	65	9,8	540	steam	Sipos 2SA5053-3CE00-3AA4	250	1239	42,8
SV1.5.1/25.1-65-9,8-01	1c-13-65ЭЧ	65	9,8	540	steam	ПЭМ-Б1М У2	250	1239	42,3
SV1.5.5/1.2-65-25	1c-25-65	65	25	450	water-steam	-	250	536	-
SV1.5.1/22.2-65-25	1c-25-65ЭД	65	25	450	water-steam	AUMA SA 14.6-F14-C38	250	837	42,8
SV1.5.1/19.2-65-25	1c-25-65ЭМ	65	25	450	water-steam	Н-Б1-07 У2	250	954	42,3
SV1.5.1/23.2-65-25	1c-25-65ЭН	65	25	450	water-steam	ЭП-3-300-25-Б1-О-А-У1	250	811	42,3
SV1.5.1/24.2-65-25	1c-25-65ЭС	65	25	450	water-steam	Sipos 2SA5053-3CE00-3AA4	250	1239	42,8
SV1.5.1/25.2-65-25	1c-25-65ЭЧ	65	25	450	water-steam	ПЭМ-Б1М У2	250	1239	42,3
SV1.5.5/1.2-80-10	1456-80-М	80	10	450	water-steam	-	380	502	2,3
SV1.5.2/10.2-80-10	1456-80-К3	80	10	450	water-steam	Gear 3:1	380	694	34
SV1.5.3/4.2-80-10	1456-80-Ц3	80	10	450	water-steam	Gear 3:1	380	658	34
SV1.5.5/1.2-80-6,3	1c-7-1	80	6,3	425	water-steam	-	380	502	59
SV1.5.3/4.2-80-10-01	1c-8-2	80	10	450	water-steam	Gear 3:1	380	694	86
SV1.5.1/22.2-80-10	1c-8-2ЭД	80	10	450	water-steam	AUMA SA 14.6-F14-C38	380	830	71
SV1.5.1/23.2-80-10	1c-8-2ЭН	80	10	450	water-steam	ЭП-3-300-25-Б2-02-А-У3	380	804	71
SV1.5.1/24.2-80-10	1c-8-2ЭС	80	10	450	water-steam	Sipos 2SA5053-3CE00-3AA4	380	1230	71
SV1.5.1/25.2-80-10	1c-8-2ЭЧ	80	10	450	water-steam	ПЭМ-Б2М У2	380	1307	71
SV1.5.2/10.2-80-10-01	1c-9-2	80	10	450	water-steam	Gear 3:1	380	658	86